

CONTEMPORARY



MODERN



# Design

WITH  
SMARTSTONE

CLASSICAL



TRADITIONAL



MEDITERRANEAN



SmartStone  
WORLD LEADERS IN CAST STONE

# Waterberg Cobble

Dimensions 150x150mm | Thickness 50mm  
Units/m<sup>2</sup> 45 | Mass/m<sup>2</sup> 115kg



Charcoal

Profile



Colour

Yellow Sandstone



Red Sandstone



Cotswold



Charcoal



Natural





# BOARDWALK PAVER

Dimensions 220x220mm | Thickness 50mm  
UNITS/M<sup>2</sup> 20 | MASS/M<sup>2</sup> 115kg



Yellow Sandstone

Profile



Colour





# MAGALIES PAVER

Dimensions 150x200mm | Thickness 50mm  
Units/m<sup>2</sup> 34 | Mass/m<sup>2</sup> 115kg



Natural

Profile



Colour



# LEGOGOTE COBBLE

Legogote 1/4  
Dimensions 109x109mm  
Thickness 50mm | UNITS/M<sup>2</sup> 81  
MASS/M<sup>2</sup> 115kg

Legogote Half  
Dimensions 220x109mm  
Thickness 50mm | UNITS/M<sup>2</sup> 41  
MASS/M<sup>2</sup> 115kg

Legogote Full  
Dimensions 220x220mm  
Thickness 50mm | UNITS/M<sup>2</sup> 20  
MASS/M<sup>2</sup> 115kg





Cotswold



Profile

## Colour





# PADUAN PAVER

Dimensions 54x254mm  
Thickness 50mm  
UNITS/M<sup>2</sup> 72  
MASS/M<sup>2</sup> 115kg


# TUSCAN PAVER

Dimensions 54x254mm  
Thickness 73mm  
UNITS/M<sup>2</sup> 72  
MASS/M<sup>2</sup> 175kg



## Profile

## Colour



**Yellow Sandstone**

SMARTSTONE

COBBLES



# Seaward Cobble (Rough)

Dimensions 109 x 109 | Thickness 50mm  
Units/m<sup>2</sup> 81 | Mass/m<sup>2</sup> 115kg

Profile



Colour



Yellow Sandstone

**Seaward Cobble**  
(Smooth)

Dimensions 103 x 103mm | Thickness 50mm  
Units/m<sup>2</sup> 94 | Mass/m<sup>2</sup> 115kg

Profile



Colour



**Charcoal**



# Heritage Cobble (Double)

Dimensions 220x109mm | Thickness 40mm  
Units/m<sup>2</sup> 41 | Mass/m<sup>2</sup> 92kg

Profile



Colour



## Huguenot Cobble (Double)


Dimensions 220x109mm  
Thickness 40mm  
Units/m<sup>2</sup> 41  
Mass/m<sup>2</sup> 92kg

## Huguenot Cobble (Single)

Dimensions 108x108mm  
Thickness 73mm  
Units/m<sup>2</sup> 85  
Mass/m<sup>2</sup> 162kg



Charcoal



Profile

Colour



Yellow Sandstone



Red Sandstone



Cotswold



Charcoal



Natural



**Knysna Cobble**  
( 73mm )

Dimensions 150x150mm  
Thickkness 73mm  
Units/m<sup>2</sup> 45  
Mass/m<sup>2</sup> 162kg

**Knysna Cobble**  
( 50mm )

Dimensions 150x150mm  
Thickkness 50mm  
Units/m<sup>2</sup> 45  
Mass/m<sup>2</sup> 108kg



**Cotswold**

SMARTSTONE

COBBLES



# Old Cape Paver

**Old Cape Paver Full**  
Dimensions 488x488mm  
Thickness 40mm  
Units/m<sup>2</sup> 4  
Mass/m<sup>2</sup> 88kg

**Old Cape Paver Half**  
Dimensions 488x238mm  
Thickness 40mm  
Units/m<sup>2</sup> 8  
Mass/m<sup>2</sup> 88kg

**Old Cape Paver 1/4**  
Dimensions 238x238mm  
Thickness 40mm  
Units/m<sup>2</sup> 16  
Mass/m<sup>2</sup> 88kg



## Yellow Sandstone

Cotswold

Red Sandstone

Charcoal

Natural

Profile



Visit [www.smartstone.co.za](http://www.smartstone.co.za) for our full range



# Boland Paver

**Boland Paver Full**  
Dimensions 440x440mm  
Thickness 40mm  
Units/m<sup>2</sup> 5  
Mass/m<sup>2</sup> 88kg

**Boland Paver Half**  
Dimensions 440x220mm  
Thickness 40mm  
Units/m<sup>2</sup> 10  
Mass/m<sup>2</sup> 88kg

**Boland Paver 1/4**  
Dimensions 220x220mm  
Thickness 40mm  
Units/m<sup>2</sup> 20  
Mass/m<sup>2</sup> 88kg



## Yellow Sandstone

Red Sandstone

Cotswold

Charcoal

Natural

Profile



Visit [www.smartstone.co.za](http://www.smartstone.co.za) for our full range

SMARTSTONE

FLAGSTONES

## Constantia Paver

### Constantia Paver Full

Dimensions 490x490mm  
Thickness 40mm  
Units/m<sup>2</sup> 4  
Mass/m<sup>2</sup> 88kg

### Constantia Paver Half

Dimensions 490x240mm  
Thickness 40mm  
Units/m<sup>2</sup> 8  
Mass/m<sup>2</sup> 88kg

### Constantia Paver 1/4

Dimensions 240x240mm  
Thickness 40mm  
Units/m<sup>2</sup> 15  
Mass/m<sup>2</sup> 88kg

Check for branch specific sizes



## Cotswold

Yellow Sandstone

Red Sandstone

Charcoal

Natural

Profile



Visit [www.smartstone.co.za](http://www.smartstone.co.za) for our full range



## Wellington Paver

Wellington Paver Full  
Dimensions 445x445mm  
Thickness 40mm  
Units/m<sup>2</sup> 5  
Mass/m<sup>2</sup> 88kg

Wellington Paver Half  
Dimensions 445x220mm  
Thickness 40mm  
Units/m<sup>2</sup> 10  
Mass/m<sup>2</sup> 88kg

Wellington Paver 1/4  
Dimensions 220x220mm  
Thickness 40mm  
Units/m<sup>2</sup> 20  
Mass/m<sup>2</sup> 88kg



Red Sandstone

Profile


Yellow Sandstone

Red Sandstone

Cotswold

Charcoal

Natural



Visit [www.smartstone.co.za](http://www.smartstone.co.za) for our full range

SMARTSTONE

FLAGSTONES

# Sedgefield Paver

**Sedgefield Paver Full**  
Dimensions 900x900mm  
Thickness 50mm  
Units/m<sup>2</sup> 1.2  
Weight/m<sup>2</sup> 110kg

**Sedgefield Paver Long**  
Dimensions 900x300mm  
Thickness 50mm  
Units/m<sup>2</sup> 3.6  
Weight/m<sup>2</sup> 110kg

**Sedgefield Paver Medium**  
Dimensions 600x300mm  
Thickness 50mm  
Units/m<sup>2</sup> 5.4  
Weight/m<sup>2</sup> 110kg

**Sedgefield Paver Small**  
Dimensions 300x300mm  
Thickness 50mm  
Units/m<sup>2</sup> 10.7  
Weight/m<sup>2</sup> 110kg



Yellow Sandstone

Red Sandstone

Cotswold

Natural



Profile



Visit [www.smartstone.co.za](http://www.smartstone.co.za) for our full range

SMARTSTONE

FLAGSTONES



# Cathedral Cladding

Cathedral Cladding  
Units/m<sup>2</sup> mix of sizes | Mass/m<sup>2</sup> 70kg



White Sandstone

Yellow Sandstone

Red Sandstone

Cotswold

Charcoal

Natural



Visit [www.smartstone.co.za](http://www.smartstone.co.za) for our full range

# Country Cladding

Country Cladding  
Mass/m<sup>2</sup> 50kg



**Yellow Sandstone**

Red Sandstone



Cotswold



Charcoal



Natural



Visit [www.smartstone.co.za](http://www.smartstone.co.za) for our full range



# Riven Cladding

Riven Cladding  
Mass/m<sup>2</sup> 60kg



## White Sandstone

Yellow Sandstone



Red Sandstone



Cotswold



Charcoal



Natural



Visit [www.smartstone.co.za](http://www.smartstone.co.za) for our full range

# Wynberg Cladding

Wynberg Cladding  
Mass/m<sup>2</sup> 60kg



Yellow Sandstone

Yellow Sandstone



Red Sandstone



Cotswold



Charcoal



Natural



Visit [www.smartstone.co.za](http://www.smartstone.co.za) for our full range of cladding



## Rustenburg Tile/Smart Tile

### TILE

Dimensions 445x445mm  
Thickness 15mm  
Units/m<sup>2</sup> 5  
Mass/m<sup>2</sup> 36kg

### COPING

Dimensions 385x385mm  
Thickness 15mm  
Units/m<sup>2</sup> 6  
Mass/m<sup>2</sup> 34kg

### TILE

Dimensions 300x300mm  
Thickness 15mm  
Units/m<sup>2</sup> 11  
Mass/m<sup>2</sup> 32kg

### COPING

Dimensions 300x300mm  
Thickness 15mm  
Units/m<sup>2</sup> 11  
Mass/m<sup>2</sup> 32kg



Yellow Sandstone

Profile



Colour

Yellow Sandstone

Red Sandstone

Cotswold

Charcoal

Natural

# Wellington Tile

## TILE

Dimensions 440x440mm  
Thickkness 18mm  
Units/m<sup>2</sup> 5 | Mass/m<sup>2</sup> 37kg

## TILE

Dimensions 385x385mm  
Thickkness 18mm  
Units/m<sup>2</sup> 6 | Mass/m<sup>2</sup> 29kg

## COPING

Dimensions 295x295mm  
Thickkness 18mm  
Units/m<sup>2</sup> 11.50 | Mass/m<sup>2</sup> 39kg

Profile




### Colour

Yellow Sandstone



Red Sandstone



Cotswold



Charcoal



Natural



# Red Sandstone



## Interior Tiles (Slate Finish)

We can manufacture almost any Custom Made Simulated Stone product you can imagine. Please contact your nearest branch for more information




Enquire  
about various  
size options from  
100x100x15 up to  
800x400x20

SMARTSTONE

TILES | PAVING SLABS | CLADDING

## Interior Tiles (Smooth Finish)

We can manufacture almost any Custom Made Simulated Stone product you can imagine. Please contact your nearest branch for more information



Enquire  
about various  
size options from  
100x100x15 up to 800x400x20

SMARTSTONE

TILES | PAVING SLABS | CLADDING



## Custom Manufactured Products (Giant Flagstones)

We can manufacture almost any Custom Made Simulated Stone product you can imagine. Please contact your nearest branch for more information



GIANT FLAGSTONES SMOOTH FINISH  
1350x500x60

GIANT FLAGSTONES SMOOTH FINISH  
1200x600x60

GIANT FLAGSTONES SMOOTH FINISH  
1000x500x50

GIANT FLAGSTONES  
SLATE FINISH  
855x565x45

FLAGSTONES  
SMOOTH FINISH  
500x500x50

PREVIOUSLY MANUFACTURED CLIENT REQUESTS

## Custom Manufactured Products (Flagstones)

We can manufacture almost any Custom Made Simulated Stone product you can imagine. Please contact your nearest branch for more information



### PAVING SLABS SLATE FINISH

600x600x40


600x295x40

295x295x40

PREVIOUSLY MANUFACTURED CLIENT REQUESTS



# LANDSCAPING



## Why choose SmartStone?

### 1. Thicker pavers provide more strength

Smartstone cobbles are manufactured to conform to The Concrete Manufacturers Association recommended standards for residential driveway applications. Their recommendation is a 50mm thick paver. Many other manufacturers however sell products with a 40mm thickness. It should be taken into consideration that a 50mm SmartStone cobble contains 20% more concrete than a 40mm paver which makes it slightly more expensive, but definitely much stronger.

### 2. Denser concrete provides more strength

A higher density of concrete provides superior strength. It is therefore advisable to take the actual weight of the various cast stone products into consideration when making a choice. The lighter the product, the less strength it will provide.

### 3. Nibs for installation accuracy

All SmartStone cobbles have visible nibs on the sides that ensure precise installation of the product. The nibs are produced using high tech moulds and precision engineered masters.

### 4. Striking design capabilities

With SmartStone products you don't just buy a paving block or tile you buy a design. All our products can be used in combination with one another. This engineering feat allows you to create innovative designs and themes to complement your home and garden. With more than thirty years in the business, SmartStone has the experience to help you achieve your desired style.

### 5. Dimensional accuracy for neatness & strength

Although handmade, SmartStone's dimensional accuracy is one of the reasons why we are considered to be world leaders in cast stone products. Dimensional accuracy not only ensures an easier, neater installation but also guarantees strength and longevity once installed.

### 6. We have the capacity to supply on time

One of the greatest issues in the cast stone industry is the ability to produce on time. SmartStone is a reputable company and has timeously supplied and completed many large commercial projects (refer to [www.smartstone.co.za](http://www.smartstone.co.za)) and has a proven track record. Production times can therefore confidently be adhered to by all SmartStone branches.

### 7. Superior moulds for superior products

It is important to note that cast stone moulds have a limited lifespan. At SmartStone we have our own mould manufacturing plant, which together with a stringent replacement program, ensures the integrity of our moulds; thereby insuring the integrity of our product.

### 8. "Natural" is not always better

Cast stone has been developed, over centuries, to offer the beauty of natural stone, but without its limitations. SmartStone products offer tested, engineered qualities that result in a predictable, durable lifespan. Because of SmartStone's controlled manufacturing process, aggregates are meticulously graded to produce an end product that is uniform in density - without weak spots. SmartStone products are engineered with natural stone as the blueprint, but technology as the quality assurance.

### 9. Lastly, make sure that you are using genuine SmartStone products

SmartStone has become a fairly generic name for cobbles and flagstones. It is advisable to be present when stock is delivered to ensure that the product is genuine SmartStone

## Contact Details

### SMARTSTONE BLOEMFONTEIN

14B Blouberg Avenue, Spitskop  
Bloemfontein  
Tel 051 451 1174  
Fax 051 451 1174  
[bloemfontein@smartstone.co.za](mailto:bloemfontein@smartstone.co.za)

### SMARTSTONE CAPE TOWN

1 Coaten Street  
Wellington  
Tel 021 873 5482  
Fax 086 611 6427  
[capetown@smartstone.co.za](mailto:capetown@smartstone.co.za)

### SMARTONE GEORGE

Pioneer street, Pacaltsdorp Industria  
George  
Tel 086 111 2346  
Fax 044 620 2435  
[george@smartstone.co.za](mailto:george@smartstone.co.za)

### SMARTSTONE DURBAN

Unit 3, Terra Nera Industrial Park  
Road 20261, Ottawa, 4340  
Tel 031 569 6625  
Fax 031 569 6629  
[durban@smartstone.co.za](mailto:durban@smartstone.co.za)

### SMARTSTONE NELSPRUIT

Cnr Curlews Road & R40  
Rocky Drift, White River  
Tel 013 758 1340  
Fax 013 758 2058  
[nelspruit@smartstone.co.za](mailto:nelspruit@smartstone.co.za)

### SMARTSTONE MIDRAND

Cnr Cresset & Musket Roads  
Midrand Industrial Park, Midrand  
Tel 011 310 1161  
Fax 011 310 1172  
[midrand@smartstone.co.za](mailto:midrand@smartstone.co.za)

### SMARTSTONE PORT ELIZABETH

Victoria Drive, Walmer  
Port Elizabeth  
Tel 041 366 2216  
Fax 086 557 0967  
[pe@smartstone.co.za](mailto:pe@smartstone.co.za)

### SMARTSTONE POTCHEFSTROOM

Piet Bosman Street,  
Potchefstroom  
Tel 018 294 3080  
Fax 018 293 7609  
[potch@smartstone.co.za](mailto:potch@smartstone.co.za)

### SMARTSTONE PRETORIA

Plot 366, Lynwood Road  
Extension, Zwavelpoort, Pretoria  
Tel 012 809 0471  
Fax 012 809 1043  
[pretoria@smartstone.co.za](mailto:pretoria@smartstone.co.za)

### SMARTSTONE NAMIBIA

17 Gold Street, Prosperita  
Namibia  
Tel +264 061 235 525  
Fax +264 061 230 285  
[namibia@smartstone.co.za](mailto:namibia@smartstone.co.za)

### SMARTSTONE JORDAN

Abu Khader Building, 1 Mecca Street  
Amman, Jordan  
Tel +962 6580 3600  
[jordan@smartstone.co.za](mailto:jordan@smartstone.co.za)

### SMARTSTONE MOZAMBIQUE

Av. Samora Machel,  
Parcela, 902, Cidade da Matola  
Tel +258 21 783 669  
[info@smartstone.co.mz](mailto:info@smartstone.co.mz)

### SMARTSTONE ZAMBIA

Plot No 288a, Makeni  
Lusaka, Zambia  
Tel +260 211 212 155  
[zambia@smartstone.co.za](mailto:zambia@smartstone.co.za)

### LICENSEE ENQUIRIES

SMARTSTONE (PTY) Ltd  
+27 11 310 1161



**SmartStone**  
WORLD LEADERS IN CAST STONE



