



# TERRAFORCE®

The original, reversible, hollow core retaining block



L11 STANDARD




L11 ROCKFACE


**L11**

For variations check with your local supplier.

Block	L11
Blocks/m <sup>2</sup> (Measured vertically)	11
Block mass/kg (Average)	31
Block infill volume/m <sup>3</sup>	0.015
Block wall thickness mm	50 - 55
<b>Ave. constr. mass kg per m<sup>2</sup> of wall. Single Skin</b>	
When filled with topsoil of 1500kg/m <sup>3</sup>	566
When filled with gravel of 1900kg/m <sup>3</sup>	632
When filled with concrete of 2400 kg/m <sup>3</sup>	715




## Composite Retaining Wall (Earth Reinforcement with Geogrid)




TERRAFORCE blocks have been substantially tested and analysed under field and laboratory conditions and are manufactured under licence by reputable manufacturers on five continents.


The blocks can be used as part of either a gravity system or as the fascia of a geosynthetic reinforced segmental retaining wall structure or as a fascia for a cement stabilized backfill.




LIGHT GRAVITY WALL



MASS GRAVITY WALL





COMPOSITE STRUCTURE



VERTICAL R.C. FILLED WALL

## Mass Gravity Retaining Wall



OPTIONAL R.C. INFILL

# TERRAFORCE

The original, reversible, hollow core retaining block

L11



HIGH COMPOSITE RETAINING WALL



NEAR VERTICAL WALLS IN SPLIT FACE FINISH




PLANTED WALLS FOR GREENED PARKING LOT



CREATE UNLIMITED CURVES WITH TERRAFORCE BLOCKS



ROADSIDE RETAINING WALL WITH FULL PLANT COVER



COMPOSITE ROADWAY RETENTION WITH TERRACE

# TERRAFORCE

The original, reversible, hollow core retaining block

L11



ROCK AND FLAT FACE FINISH IN COMBINATION



RESIDENTIAL WALLS IN A ROCK FACE FINISH




28M HIGH ROUND FACE TERRACES WITH PLANTING



CREATE UNLIMITED CURVES WITH TERRAFORCE BLOCKS



FLAT FACE FINISH FOR A DIFFERENT LOOK IN AUSTRALIA



CURVED NEAR VERTICAL WALL IN SPAIN